

# OVABOARD – PROTECT FLOORS AND AVOID RE-WORK

# OVABOARD™

## PROTECT FLOORS – AVOID RE-WORK

### DESCRIPTION

OVABOARD — is a latest technology temporary surface protection product. With 2 x More Fibre than previous products, OVABOARD is the toughest recycled temporary protection product on the market.

OVABOARD lays out fast and flat and has leading water shield technology that stops spills and dirt soaking through for a minimum of up to 60 hours. Made of fully recycled paper products OVABOARD can be used over and over again until you decide to discard it or place it in the recycling bin, one roll (965mm x 30m) covers an area of 29.45m<sup>2</sup>.

The ease of installation is only one of the many features and benefits of this great product. Whilst the water shield technology stops spills soaking through, OVABOARD is permeable so it breathes, this will ensure your protected surface can cure naturally and won't trap moisture. No more frustrating jobsite damage or downtime anymore.



COMMERCIAL



RENOVATIONS



RESIDENTIAL

- ✓ LAYS FLAT & FAST
- ✓ REDUCE RISK ONSITE
- ✓ REPELS WATER, PAINT, DIRT & MORE
- ✓ ALLOWS NATURAL CURING
- ✓ TOUGH ENOUGH TO DRIVE ON
- ✓ RE-USABLE



MADE FROM  
**100%**  
RECYCLED  
MATERIALS



WATER SHIELD  
TECHNOLOGY



IMPACT  
GUARD



VAPOUR  
PERMEABLE



HEAVY  
DUTY

**GDP FLOORING SOLUTIONS LTD**

PHONE 07 571 8003 | EMAIL [INFO@GDPSOLUTIONS.CO.NZ](mailto:INFO@GDPSOLUTIONS.CO.NZ)

PO BOX 2378 TAURANGA 3140

**[www.ovaboard.co.nz](http://www.ovaboard.co.nz)**





## FAST AND EASY TO INSTALL

1. Sweep or vacuum all debris from the surface you're protecting.
2. Roll out OVABOARD, logo side facing up.
3. Cut to the length required with a utility blade and back roll ends.
4. When covering an area, overlap the OVABOARD 20mm.
5. Tape the join down the entire length with OvaTape. Do not apply OvaTape to floor surfaces as it may affect some finishes.
6. To re-use, simply sweep the surface, roll up and tape.

The new standard in temporary floor protection due to its strength, durability and water shield technology. OVABOARD is suitable for benchtops, floors and stairs — Wood, Tile, concrete, stone, vinyl and Epoxy.

- Lays flat and fast — comes in a convenient width for tradespeople
- One thickness but the toughest protection on the market to protect any floor
- Reduces risk onsite for accidents and mistakes
- Safe, nonslip and durable working surface – no tripping hazards
- Repels water, paint, dirt and more
- 60 hour spill guard
- Allows natural curing – vapour permeable so your floors won't sweat
- Resists impact and tough enough to drive on
- Re-usable, recyclable and made from recycled material
- An economical insurance policy when compared to the cost of re-works or running over schedule.



## SECTION I

### PRODUCT AND COMPANY IDENTIFICATION

**Identity:** GYPSUM LINER PAPER AND VARIOUS  
CHIP BOARD – 100% Recycled

**Product Name:** OVABOARD

**Distributors Name:** GDP Flooring Solutions Ltd

Product Information Telephone: (++64 7) 571 8003

MSDS Information Telephone: (++64 7) 571 8003

24-hour Emergency Contact: CHEMTREC (800) 424 9300

## SECTION II

### PRODUCT AND COMPONENT DATA

#### EXPOSURE LIMITS:

Ingredients	CAS Number	Wt.Percent	ACGIH	TLV	OSHA	PEL	STEL	TWA
Fibers (cellulose)	9004-34-6	92-96 %	10 mg/m3	*	5	mg/m3	None	None
Water	7732185	4-9 %	10 mg/m3	*	5	mg/m3	None	None

Additives (may contain some or all of the additives):

ASA Size	N/A	<0.5 %		None	None		None	None
Cationic Sizing								
Emulsifier	N/A	<0.2%		None	None		None	None
Cationic Water-Soluble								
Polymer	N/A	<0.1 %		None	None		None	None
Aluminum Sulfate	10043-01-3	<0.5 %		None	None		None	None
Paraffin Wax								
Emulsion	N/A	<0.05 %		None	None		None	None
Sodium Carboxymethyl Cellulose (NaCMC)	None	<0.1 %		None	5	mg/m3	None	8-hr



### SECTION III

#### HEALTH HAZARD & FIRST AID INFORMATION

**Primary Routes of Exposure:** None expected

**Signs and Symptoms of Overexposure:** This product is not a hazardous material, but may release a nuisance dust in converting processes. Eye, nose and throat irritation may occur with prolonged exposure to high dust concentrations.

#### SUBCHRONIC AND CHRONIC HEALTH EFFECTS:

No applicable information was found concerning any potential health effects resulting from sub chronic or chronic exposure to the product.

IARC: No

OSHA: No

Aggravated Medical Conditions: None known

**Note:** This product is not expected to present health hazards under normal use.

#### ACUTE HAZARDS:

Primary Routes of Exposure: None expected

**Eye Contact:** This product in dust form may cause eye irritation.

**Skin Contact:** Prolonged contact with this product does not cause skin irritation. This product is not expected to be hazardous through dermal absorption and no cases of skin sensitization have been reported.

**Ingestion:** This product is not expected to be hazardous by ingestion. If ingested in large amounts, nausea, vomiting and diarrhoea are possible.

**Inhalation:** This product is not expected to present an inhalation hazard. Follow OSH Standard 1910.1000 "Air Contaminants" OSHA Total Nuisance Particulate:

PEL: 15 mg/m<sup>3</sup> 8 hour TWA

ACGIH: 10 mg/m<sup>3</sup>

#### FIRST AID:

**Eyes:** Immediately flush eye(s) with plenty of clean water for at least 15 minutes, while holding the eyelid(s) open. Occasionally lift the eyelid(s) to ensure thorough rinsing. Beyond flushing, do no attempt to remove material from the eye(s). Contact a physician if irritation persists or later develops.

**Skin:** Not expected to require first aid measures. May wash with soap and water.

**Ingestion:** Not an expected route of overexposure.

**Inhalation:** Not an expected route of overexposure.

### SECTION IV

#### PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A

Specific Gravity (H<sub>2</sub>O = 1): 1.0

Vapor Pressure (mm Hg): N/A

Freezing Point: N/A

% Volatile by Weight: 0 pH: 5.0 - 6.5 In Solution, Or 7.0

Vapor Density (Air = 1): N/A

Evaporation Rate: (Butyl Acetate = 1) N/A

Solubility in Water: Water soaked in, not soluble

Appearance and Odor: Paper Board, White, Pink, Off-white, Yellow, Brown, Blue, etc. No odor.

### SECTION V

#### FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 500°F or greater Flammable Limits: LEL %: N/A, UEL %: N/A

Extinguishing Media: Water or extinguishing media appropriate for surrounding fire, CO<sub>2</sub>, foam, dry chemicals, etc.

Special Fire Fighting Procedures: None (see Fire Department)

Unusual Fire and Explosion Hazards: None (see Fire Department)

### SECTION VI

#### REACTIVITY DATA

Stability: Stable

Incompatibility (Materials to Avoid): Strong oxidizers

Hazardous Decomposition or By products: Carbon Monoxide, Carbon Dioxide and Sulphur Oxides,

Hazardous Polymerization: Will Not Occur Conditions to Avoid: None



## SECTION VII

### PERSONAL PROTECTION AND CONTROL MEASURES

**RESPIRATORY PROTECTION:** Not normally necessary. If so necessary, use only NIOSH certified devices.

**PROTECTIVE CLOTHING:** Not normally necessary.

**EYE PROTECTION:** Not normally necessary. Safety glasses may be worn during converting processes.

**LOCAL EXHAUST:** Not necessary.

## SECTION VIII

### HANDLING AND STORAGE INFORMATION

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Normal housekeeping.

Nuisance dust should be contained, swept and placed in suitable containers.

**WASTE DISPOSAL METHOD:**

1. Recycle the entire paper product.
2. Dispose of according to local, state and federal regulations.

**TSCA STATUS:** No ingredients of this product are listed by the Toxic Substances Control Act (TSCA).

**RCRA STATUS:** This product as sold would not be considered a Resource Conservation and Recovery Act (RCRA) hazardous waste.

**CERCLA REPORTABLE QUANTITY OF EPA HAZARDOUS SUBSTANCE IN PRODUCT:** None.

**SARA TITLE III:** Section 302 Extremely Hazardous Substances: None.

Section 311 and 312 Health and Physical Hazards:

Immediate: None.

Delayed: None.

Fire: Yes.

Pressure: None.

Reactivity: None.

Section 313 Toxic Chemicals: None.

**TRANSPORTATION:** DOT Hazard Classification: Not Regulated UN/NA Code: None

Placard Required: None. Labelling Requirement: None.

## SECTION IX

### OTHER INFORMATION

The information and recommendations contained herein are based upon the data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful health effects which may be caused by misuse of our products. Customers/users of OVABOARD Paper products must comply with all applicable health and safety laws, regulations, and orders.

MSDS STATUS: Revision 4

PREPARER: CHRIS CARRASCO

Title: Technical Manager

APPROVED BY: Regulatory Department