

REINFORCED KRAFT-MD

MEDIUM DUTY

OVABOARD™
PROTECT FLOORS – AVOID RE-WORK



Ovaboard Reinforced Kraft is our medium duty floor protection product. It is made from two layers of recycled paper with hot melt fibre strands in between which makes reinforced kraft a very strong light weight option for all your jobsite protection.

Ovaboard reinforced kraft is ideal protection when painting, plastering or simply wanting to stop mud and dirt from being walked on to your floor. If impact resistance and wheeled traffic is not an issue then this product is perfect for your requirements.

The 60 hour water resistance will protect from those accidental water or paint spills.

Ovaboard reinforced kraft rolls out quick and easy, overlap joints by 20mm, tape down the entire length with Ovatape. No more tripping over wrinkly drop sheets or slipping on plastic covers. Light weight yet robust and tough, Ovaboard reinforced kraft is a must for tradesmen or DIY fans.

- ✓ Lays flat & fast
- ✓ Reduces risk on site
- ✓ Repels water, paint, dirt & more
- ✓ Allows natural curing
- ✓ Floor & cabinet protection



WATER SHIELD
TECHNOLOGY



VAPOUR
PERMEABLE

MEASUREMENTS:
91.4cm x 30m
COVERS AN AREA OF:
27.4m²



MADE FROM
100%
RECYCLED
MATERIALS

GDP FLOORING SOLUTIONS LTD
TEL: 07 571 8003
INFO@GDPSOLUTIONS.CO.NZ
PO BOX 2378 TAURANGA 3140
ovaboard.co.nz

MD
MEDIUM DUTY



1. Product and Company Identification

Distributor

GDP Flooring Solutions Ltd
P O Box 2378 Tauranga 3110, New Zealand

Company Contact: Technical Services

Telephone Number: +64 7 571 8003

Web Site: www.ovaboard.co.nz

Product(s): OVA BOARD MD Reinforced Kraft

Issue Date: 13 Oct 2015

Supersedes: 14 May 2015

Product Description

Two layers of kraft paper laminated with hot melt adhesive and fiberglass reinforcing.

2. Hazards Identification

In the solid state the material is not considered a hazardous material as defined by 21 CFR 1910.1200 (b) (6) (v). This product meets the definition of an "Article" and is not subject to the regulations of the Hazardous Products Act.

Eye Hazards N/A.

Skin Hazards N/A.

Ingestion Hazards Non-Toxic

Inhalation Hazards N/A.

Signs and Symptoms of Exposure None.

Medical Conditions Generally Aggravated by Exposure None known.

3. Composition/Information on Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
Polypropylene homopolymer	9003-07-0	5-30
Propylene-ethylene copolymer	9010-79-1	2-15
Kraft paper	N/A	60-85
Continuous Filament Fiberglass Reinforcing Yarn (non-respirable)	65997-17-3	<6

4. First Aid Measures

Eye N/A.

Skin N/A.

Ingestion N/A.

Inhalation N/A.

5. Fire Fighting Measures

Flash Point: >450°F

Auto Ignition Temperature: >450°F

Special Fire Fighting Instructions:

The asphalt laminated paper requires that this product be treated as a fuel oil fire.

Method Used: N/A.

Flammability Limits: LEL- Not Applicable.

Unusual Fire And Explosion: Hazards None.
UEL – Not Applicable.

Extinguishing Media: Carbon Dioxide,
Water, or Dry
Chemical.

6. Accidental Release Measures

Not applicable for product in purchased form.



7. Handling and Storage

Safe Handling

Normal application will not expose the user of these articles to hazardous substance levels.

Safe Storage

Do not store near an open flame.

8. Exposure Controls/Personal Protection

Skin Protection	N/A.
Eye/Face Protection	N/A.
Ventilation	N/A.

Respiration Protection

Under normal use this product cannot be inhaled. If used in a way that creates dust, wear a NIOSH/OSHA approved respirator.

9. Physical and Chemical Properties

Appearance: Brown paper composite.

Boiling Point: N/A	Melting Point: N/A
Specific Gravity: >1	Vapor Pressure: N/A
Vapor Density: N/A	Solubility: Negligible
Odor: Negligible	

10. Stability and Reactivity

Stability:	Stable
Conditions to Avoid:	Fire.
Materials to Avoid:	None known.
Hazardous Polymerization:	Not anticipated under normal use.
Hazardous Decomposition:	Not anticipated under normal use.
Thermal Decomposition (Combustion):	May produce carbon monoxide and hydrogen sulfide fumes.

11. Toxicological Information

Chronic/Carcinogenicity

None of the ingredients present in this product, at concentrations equal to or greater than 0.1%, have been determined to be carcinogenic by IARC, NTP or OSHA.

12. Ecological Information

There is no data on the ecotoxicity of this product. This product should not pose an ecological risk.

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

14. Transport Information

Hazardous Material Proper Shipping Name:	Not regulated by DOT.
Special Handling or Shipping Precautions:	None required.
Hazard Class:	Non-hazardous.
UN Identification Number:	None.

15. Regulatory Information

SARA 313 Regulated Chemicals:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Ingredient(s) - State Regulations: None

16. Other Information

This SDS supersedes a previous form dated: 05/14/2015

Disclaimer

Although reasonable care has been taken in the preparation of this document, GDP extends no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).